



Telescopic slides
for a world in motion.

TR-7118 TITAN F

- Full extension slide - Loads up to 230 kg
- Slide profiles: Steel, zinQproteQ
- Ball cage: Steel, galvanized
- Sequence device: Plastic / Elastomer
- Bearings: Hardened carbon steel
- Rubber stop: Plastic / Elastomer
- Operating temperature: -20 to 80 degrees Celsius



Specifications

Fixation [Cabinet side]	Fixation [Drawer side]	Load capacity [kg]	Height [mm]	Width [mm]
Metal M5 / DIN 965 / ISO 7046 M5 / DIN 7500	Metal M4 / DIN 965 / ISO 7046 M4 / DIN 7500	170-230	70.9	18.4
Wood 5.0 / DIN 7997	Wood 4.0 / 4.5 / DIN 7997			

Technical information

Article no.	Length [mm]	Travel [mm]	Load capacity [kg]
MO1AB6	400	400	170
MO1AB7	450	450	190
MO1AB9	500	500	212
MO1AB9	550	550	230
MO1AC0	600	600	230
MO1AC1	700	700	228
MO1AC2	800	800	219

Features & Fixations



Feature
Pull-in

Automatically pulls the drawer fully closed once it nears the end



Fixation
Click bracket


The click bracket enables quick, tool-free, secure mounting



Fixation
Countersunk holes


Countersunk holes ensure screws sit flush and avoid surface contact

Hole pattern [mm] [Cabinet Side]



Article no.	L	C1	C2	C3	C4	C5	C6
MO1AB6	400	32	32	256	32	/	/
MO1AB7	450	32	32	256	32	/	/
MO1AB8	500	32	32	320	32	/	/
MO1AB9	550	32	32	320	32	/	/
MO1AC0	600	32	32	416	32	/	/
MO1AC1	700	32	32	416	32	/	/
MO1AC2	800	32	32	352	32	640	32

Hole pattern [mm] [Drawer Side]



Article no.	L	D1	D2	D3	D4	D5	D6	D7	D8
MO1AB6	400	45	128	288	/	61	96	128	222
MO1AB7	450	45	160	352	/	61	128	160	272
MO1AB8	500	45	192	416	/	61	160	192	322
MO1AB9	550	46	224	448	/	71	192	224	372
MO1AC0	600	45	128	256	512	61	224	256	426
MO1AC1	700	45	128	288	608	61	256	288	522
MO1AC2	800	45	160	352	704	61	320	352	622