






T 1 - 2 = 240,0 mm




SECTION A-A

EXTENSION ± 2
240 mm



FRONT

511-09-043-EMS1



513-09-043-EMS2

Right hand slide = Left hand slide.
Dimensions between marks are guide dimensions.
Thomas Regout Int. B.V. reserves the right to alter non-customer specific specifications without notice.

Released for Production

Designer J.Schreurs	Gen.Tol.Dim. $\pm 0,5$	Third angle projection	Material
Date 10-4-1984	Gen.Tol.Angle $\pm 0,5$		Treatment
Approver	Gen.Roughness Ra		Draw type Fabrication
Date	Units mm/deg.	Scale 1 : 1	Type
Description		Model No. E000031066	
EMS STANDAARD 350.0 / 240.0 (9,5mm)		Released for Production	
Format A1	THOMAS REGOUT INTERNATIONAL B.V.	Item No. 109-043	Revision 02
© THOMAS REGOUT INTERNATIONAL BV, Industrieweg 40, 6219 NR, Maastricht, The Netherlands, +31 (0)43 351 66 66 All rights are reserved.			

02	20-7-2017	AANGEPAST CONF. AGR171296	M. URLINGS
02	05-06-15	GETEKEND IN INVENTOR	W. JANS
02	30-01-97	ZAAGLENGTE EMS1 355,7 -> 354,2	A. v.d. Nobelen
01	21-08-90	SENDZIMIR LOOPWERK WORDT GALVANISCH VERZINKT LOOPWERK	R.HARTMAN
Rev	Date	Description	Designer